

Adam Lowe, MD FACG Rajan Khosla, MD Joseph Daniel Davis, MD Sajiv Sethi, MD Prianka Chilukuri, MD Emily Renda, PA Abby Nasternak, PA

950 North McQueen Road, Chandler, Arizona 85225 | P: 480-542-7000 F: 480-542-7500 | www.sonorangastro.com

## **INFORMED CONSENT FOR FLEXIBLE SIGMOIDOSCOPY**

Procedure Date:	Time:							
1. I,		(patient	or	guardian)	give	consent	for	Dr.
or his/	her associates to	perform a f	flexib	le sigmoidos	сору у	with possib	le bio	psy,
removal of polyp(s) with possible coagulati	ion/injection thera	py of blood	d ves	sels or tissue	e, and o	control of b	oleedi	ng if
necessary.								

2. I understand this procedure involves the passage of a digital optic instrument through the rectum to allow the physician to visualize the interior of the large intestine (colon). I understand that this is a limited examination and only visualizes the last few feet of the colon. Sedation and pain relieving medications may be given to minimize discomfort and relax me for the procedure. These medications may cause localized irritation and/or a drug reaction. I understand that with the anesthesia/sedation for this procedure I will not be able to drive the remainder of the day and I should not have plans after the procedure. I understand that I MUST HAVE A DRIVER take me home

3. I understand the reasons for the procedure which have been adequately explained to me by my physician. I understand I may call the office where I regularly see my physician with any questions about the preparation or procedure. I have had ample opportunity to ask questions before signing this consent.

4. RISKS: Possible complications of this procedure include, but are not limited to: bleeding and tearing or perforation of the bowel wall. These complications, should they occur, may require surgery, hospitalization, repeat sigmoidoscopy, and/or a transfusion. Perforation of the bowel is a known, but rare complication which can occur at a rate of 1 per 1,000 sigmoidoscopies. Bleeding, usually after a polyp removal, can occur at a rate of 1 per 1,000 colonoscopies and continue up to two weeks after a polyp is removed. Other extremely rare, but serious or possibly fatal risks include: difficulty breathing, heart attack, and stroke. Polyps, especially small ones, can be missed 5-10 percent of the time, and in rare cases a colon cancer can be missed. Sigmoidoscopy does not guarantee that you will not develop colon cancer, but removing polyps is documented to significantly decrease your risk of colon cancer in the future.

5. I understand that there are no guarantees regarding the results of this procedure. Alternative options as deemed medically relevant have been discussed and may include fecal occult blood tests and/or radiologic imaging tests. I understand that these tests have their own limitations and benefits.

6. I understand that it is my responsibility to know my insurance benefits coverage, including deductible and copayments. I understand that there are four potential fees associated with this procedure: FACILITY FEE, PHYSICIAN FEE, ANESTHESIA FEE, and PATHOLOGY FEE. I understand that I am responsible for any fees not covered by my insurance.

7. I have read and fully understand this consent form, and understand that I should not sign if all of my questions have not been answered to my satisfaction or if I do not understand any of the words or terms used in this form. If you have any questions as to the risks or hazards of the proposed procedure or treatment, ask your physician now, before signing this consent form. Do not sign unless you have read and thoroughly understand this form.

## Patient/Legal Representative:

Signature:	_Date:	_Time:
Witness:		
Signature:	Date:	_Time: